The Martin Warrenfeltz Log House is a two-story, two-section exposed log house with a one-story modern addition and a two-story integral porch The windows are variously 2/2 and modern on the east elevation. multi-pane replacements. The first level of the porch on the east side has been extended into a screen-enclosed deck. The stone foundation is exposed on the east elevation. Built originally about 1850 as a one-story, one-room log dwelling, the house was enlarged with a second log section of two stories on the south and the roof of the original part raised to provide a second story. The roof was replaced to cover the section on the east in an approximation of the two-story porches on the service wings of larger houses. The property also includes a log meat house and a frame and stone bank barn, both in deteriorated condition, and two springs in the slope below the house. The house was probably built during the period 1850-1870 by a member of the Warrenfeltz family, but only Martin Warrenfeltz, the seller of the property in 1904, has as yet been identified.

M45 P37

Maryland Historical Trust

State Historic Sites Inventory Form

MARYLAND INVENTORY OF

Survey No. F-4-45

Magi No.

DOE __yes X_no

1. Nar	ne (indicate p	referred name)		
historic Ma	artin Warrenfeltz Lo	g House		
and/or commo	n			
2. Loc	ation			
street & number	er 9478 Frostown	Road	_	not for publication
city, town	Myersville	X vicinity of	congressional district	6th
state Ma	aryland	county	Frederick	
3. Cla	ssification			
Category district _X_ building(s structure site object	Ownership public s) X private both Public Acquisition in process being considered x not applicable	Status _X_ occupied unoccupied work in progress Accessible _X_ yes: restricted yes: unrestricted no	Present Use agriculture commercial educational entertainment government industrial military	museum park X private residence religious scientific transportation other:
4. Ow	ner of Prope	erty (give names a	nd mailing addresses	s of <u>all</u> owners)
name	Margaret D. Lin	gel, w/o Margaret L	Walker	
street & numbe	425 East Univer	sity Ave.	telephone no	· . :
city, town	Deland	state	and zip code F1.	32724
5. Loc	ation of Leg	al Description	on	
courthouse, reg	gistry of deeds, etc. Fr	ederick County Court	thouse	liber 522
street & numbe	er 100 W. Patrick	Street		folio 143
city, town	Frederick		state	Md. 21701
6. Rep	resentation	in Existing	Historical Surve	eys
title				
date			federal state	county local
**pository for s	survey records			
city, town			state	

7. Description

Survey No. F-4-45

Condition Check one Check one excellent deteriorated unaltered x original site x good ruins x altered moved da fair unexposed	ate of move
---	-------------

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

CONTRIBUTING RESOURCE COUNT: 4

The Martin Warrenfeltz Log House is a two-story, two-section exposed log dwelling built about 1850-1870 in a mountain hollow on the south side of Frostown Road near Myersville, Frederick County, Maryland. The site includes an exposed log meat house in deteriorated condition, two springs with stone enclosures, and a frame and stone bank barn. The former farmstead is located on the east slope of South Mountain in a thickly wooded site, with the house's main facade facing east.

The house appears to have been built in two sections, possibly about 20 years The first section was a single room, generally square plan building on a stone foundation exposed on the east elevation, with the characteristic V-notching of German vernacular log construction. It may have been a one-story building with a doorway and a window opening on the east and west elevations with the chimney on the south gable end. The second period of construction apparently enlarged the building The addition was made on the south elevation and the in both height and width. pattern of V-notches on the southwest corner of the original section is obscured by the raising of the roof to build the second floor and the integration of the second The pattern above the original part includes several half-notched joints section. On the east elevation, the second section projected beyond the secured by nails. front wall of the first part, leaving an L-shaped angle which is now filled in by a two-story porch under the enlarged roof covering the entire house. The porch ha been extended into a screen-enclosed deck on the first story. The stone foundati under the deck has been filled in with concrete block and a modern door is located The doors in the house are in the stone foundation of the second section. four-panel types and may be replacements of the originals. The sash varies, with modern multi-pane replacements in the first floor east elevation and 2/2 in the west elevation, which are probably the original windows. The east elevation of the second section has a central, multi-paned window on the first story with a small wood shingled projecting hood. A small entry porch shelters the door and window on A modern one-story frame addition with vertical siding is the west elevation. located on the south elevation of the house. The roof over the log sections is corrugated metal and interior end chimneys rise above the roof. The new addition The gable ends of the log section are faced with stained has a composition roof. german siding. The interior of the house was inaccessible for this survey.

Meat house: The deteriorated exposed log meat house is located a few yards down the slope east of the house. It has a partially collapsed gable roof covered with composition material. The joinery of the logs is the half notch type of the second section of the house, indicating it was probably built about 1870. The square plan structure has a vertical board door in the north elevation and the gable ends have vertical board siding. The interior has traces of whitewash and two iron cross bars with S hooks.

Spring enclosures: The two springs are located east of the house just north of the meat house. The southernmost has a small stone enclosure with a frame doorway on

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 1900–	Areas of Significance—C archeology-prehistoric archeology-historic agriculture architecture art commerce communications		literature military music t philosophy politics/government	religion science sculpture social/ humanitarian theater transportation
Specific dates	C. 1850-1870	Builder/Architect		
aı	icable Criteria:A nd/or icable Exception:		EFG	
Leve	l of Significance: _	_nationalstate _	X_local	

F-4-45

Survey No.

8. Significance

Prepare both a summary paragraph of significance and a general statement of history and support.

The Martin Warrenfeltz Log House exemplifies the traditional German log construction technique of the Mid-Atlantic area. The dominant V-notched corner joinery is clearly evident as well as the simple one-room plan in the original section. The later section of the house shows the half notch method which was a simpler version of the square notch. The house was probably built about 1850 in its original one-room form and enlarged by 1870 to its current two-story height with an integral porch, a feature often found in larger houses of brick, stone, log, or frame, particularly on a perpendicular or side service wing. Although clearly a product of the mid 19th century, the identity of the builder or original occupant remains unknown, as the land records only can be traced to a 1904 transaction in which Martin Warrenfeltz and wife sold the property. Since another Warrenfeltz roperty is shown nearby on the 1873 Titus Atlas map, the log house was presumably built by some member of the Warrenfeltz family.

Although log houses are common in Frederick County, most which have been restored and the log structure exposed have obscuring additions which make understanding the construction history difficult. The Warrenfeltz House has fewer of these problems, and an interior examination may reveal further details of its building history. The remaining few outbuildings suggest the simple and often poor subsistence-level farms in the mountain region, in contrast to the expansive and prosperous farms on the floor of the Middletown Valley.

9. Major Bibliographical References

Survey No. F-4-45

Land Records of Frederick County

10. G	eographical Data			
Acreage of no Quadrangle n UTM Reference		es	Quadrangle scale 1:24000	
A Zone Ea	Northing	B Zone	Easting Northing	
C E		D F H		
Verbal boun	dary description and justification		=	
List all state	es and counties for properties overlappi code	ng state or co	code	
state	code	county	code	
11. F	orm Prepared By			
name/title	Janet L. Davis, Historic Sites	Surveyor		
organization	Frederick County Planning & Zon	ing Dept. da	ate March 1992	
street & numb	er 12 E. Church Street	te	elephone 696-2958	
city or town	Frederick	st	tate Md. 21701	

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

MARYLAND DHCP/DHCE 100 COMMUNITY PLACE CROWNSVILLE, MD 21032-2023

return to:

Maryland Historical Trust

Shaw House 21 State Circle

Annapolis, Maryland 21401

(301) 269-2438

F-4-45 Martin Warrenfeltz Log House Myersville Frederick County

HISTORIC CONTEXT:

MARYLAND COMPREHENSIVE HISTORIC PRESERVATION PLAN DATA

Georgraphic Organization: Piedmont (Harford, Baltimore, Carroll, Frederick, Howard, Montgomery Counties, and Baltimore City)

Chronological/Development Period:
Agricultural-Industrial Transition A.D. 1815-1870

Prehistoric/Historic Period Themes:
Architecture, Landscape Architecture and Community Planning

Resource Types:

Category: Building

Historic Environment: Rural

Historic Function and Use:

Domestic/single dwelling/residence Domestic/secondary structure/other dependencies Agriculture/subsistence/animal facility/barn

Known Design Source: None

7.1 Description (Continued)

the east side. The northern spring has only a half wall of stone in the uphill side.

Barn: The deteriorated frame barn is located on the south side of the access drive from Frostown Road. The stone lower level is banked into the slope below the drive and the hay storage upper level is at the level of the driveway. The barn is a small rectangle in plan with vertical siding on the upper level. A large center opening is located on the north elevation and a vertical board door with iron strap hinges is at the northwest corner. The roof is corrugated metal. The stone lower level on the south elevation has three openings, the center one a dutch door into the stalls and the flanking doors vertical board doors presumably into a feed aisle and a storage area. The lower level is enclosed by horizontal flush boards.

ADDENDUM

F-4-45 Martin Warrenfeltz Log House 9478 Frostown Road Middletown, MD

Item 8: Statement of Significance and History.

This additional information is being supplied as part of the South Mountain Battlefield Survey Project, February 1998. The Warrenfeltz house is located within the survey area and was impacted by the Battle of South Mountain which occurred on September 14, 1862. The Warrenfeltz House was involved in the action at Turner's Gap when General Joseph Hooker's I Corps attempted a flanking move against the left wing of the Confederates holding the Gap.


The Martin Warrenfeltz Log House, located deep within the ravine on the north side of South Mountain at Turner's Gap, was not shielded from the battle by its remote location. Chased by the men of General George Meade's Division, the retreating regiments of General Robert Rodes' Brigade were funneled by the ravine dangerously near the simple log home of the Warrenfeltz family.


Rodes' Alabama Brigade of only 1,200 men was stretched across the ravine north of Turner's Gap in a desperate attempt to protect the north approaches to the gap. Facing General John Hatch's Division on his right and Meade's Division flanking his left, Rodes' moved left to the north side of the ravine to defend his flank while Longstreet came in on the right. 1 As Hatch and Meade pushed on, Rodes was forced up the back of the ravine. Brig.Gen. Rodes reported, "Finding that the enemy were forcing my right back, and that the only chance to continue the fight was to change my front so as to face to the left, I ordered all the regiments to fall back up the gorge and sides of the mountain, fighting, the whole concentrating around the peak..."2 With the Confederates facing left [north] from the high peak and the Federals approaching from the ravine and the Frostown Road, the Warrenfeltz house would have been directly in the center of the battle.

¹Stephen W. Sears, Landscape Turned Red, New York: Ticknor and Fields, 1983, pp.138-39

²Jay Luvaas and Harold W. Nelson, eds., **US Army War College Guide**, New York: Harper Collins, p.62, from O.R., Vol.XIX, Part I, pp.1034-36.

9478 I	rostown Ral.					
LIBER/F 10	GRANTEE	GRANTOR	ORIGINAL TRACTS	COST	DATE	
522/143 8aug 53	Margacet D. Lingel	V.E. & Grances C. Hollo-	35Q. along the road leading from Bolivactoriand the mash. Monument.			
466/250 1 Oct 47	V. E. & Frances C. Holloman	Etta M. Maiten eudow of James a Montin of wash De.	Serm			
336/165 25 Aug 21	James a. + Etta m. Martin	Enanuel C. + Amanda J. Magaman		\$ 350		
302/599 10 Feb 13	Emanuel C. 4 Omanda J. Wagaman	Luther L. + Sadief. Kephart	Secalso 271/578 3 gim 04 35 a.	#900	•	
STH 271/578 3 Jun 04	Leither L. & Sadie J. Kephart	Martin L. & CennaM. Marrenfeltz	Beginning at a stone with the old stable, (also mentions a ptops in front of Daniel Du stable and Peline's stable and Peline's stable.	\$775 Utos		
		(no further refs)				54-45
	·					






1-0-Math to a 1 tz Log House Plate - Jan + Davis Neg- loc. And - Shis Comes "2 Md. Northwest Corner West



F-4 45 Mortin Vancendelte Landle Frenerick Count Fhoto: Jone + Cours Neg- lot .- 1. 8. Stiro, Crowner the Mit. East elevation



Martin Wortenfeltz Lorlans Fredorick County Photo Ton- Day 11 arc 1997 Near beat Mid SHILL Granewile, Note. Ment house, northeast come wire



1 11-45 Martin Warra Lette Log House Ploto Tonet Done



F-41-45 Moutin Warrenfeltz Log House Frederick Co , Wondowd 10 March 1998 Maryland SHPO N elevation of house from Frostown Rd



Man Waresteltz Log House
Frederick Co. Manufacial
Ediths B. Waltare
10 March 1998
Waresland SHPO
E elevation of house from Frestam Rd
2/2